

UKCA Type Examination Certificate

This is to certify that:

JINHUA MEIXIN PROTECTIVE
EQUIPMENT FACTORY
South Building 1
Zhenbei Function Zone
Xiaoshun Town, Jindong District
Jinhua City, Zhejiang Province
321035
China

Holds Certificate Number:

UKCA 743007

In respect of:

Respiratory protective devices to EN 149:2001+A1:2009. Filtering half masks to protect against particles. Model Ranges: MX-2000, MX-3000, MX-5000, MX-6000 and MX-7000 series.

On the basis that BSI carried out the relevant Type Examination procedures under the requirements with the Regulation 2016/425 on Personal Protective Equipment, as amended to apply in GB (PPE) Annex V (Module B) and meets the relevant health and safety requirements specified in Annex II.

For and on behalf of BSI, an Approved
Body for the above Regulation
(Approved Body Number 0086):



Shahm Barhom, Group Product Certification Director

First Issued: 2021-05-10

Latest Issue: 2026-06-04

Effective Date: 2026-06-04

Expiry Date: 2031-05-10



Page: 1 of 9

UKCA Type Examination Certificate

No. UKCA 743007

Product Specification

Product:	Particulate Respirators
Product Type:	Respiratory protective devices - Filtering half masks to protect against particles
Product Ranges:	MX-2000, MX-3000, MX-5000 and MX-6000 series.
Product Range:	MX-2000 series

Models with variants:	Model Range	Models
	MX-2003/V	MX-2003 and MX-2003V
	MX-2004/V	MX-2004 and MX-2004V
	MX-2005/V	MX-2005, MX-2005V, MX-2005-1 and MX-2005V-1
	MX-2006/V	MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1
	MX-2007/V	MX-2007 and MX-2007V
	MX-2008/V	MX-2008 and MX-2008V
	MX-2016/V	MX-2016 and MX-2016V

Models with no variants:	Models
	MX-2014V
	MX-2017V
	MX-2018V

(cont)

First Issued: 2021-05-10
Latest Issue: 2026-06-04

Effective Date: 2026-06-04
Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

MX-2000 Product Range (cont)

Technical Specification: Designated Standard: EN 149:2001+A1:2009 –
Respiratory protective devices – Filtering half masks to protect against particles.

Product Description: The particulate respirators are 'cup style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve.

All models are single shift devices, denoted by the classification symbol NR, and some meet the clogging option requirement of EN 149, denoted by the classification symbol D, see EN 149 Classification Table.

The MX-2003/V, MX-2004/V, MX-2005/V, MX-2006/V, MX-2007/V and MX-2008/V ranges make use of the same filter media, and the same design of nose clip and head straps.

The models in MX-2005-1, MX-2005V-1, MX-2006-1 and MX-2006V-1 have the same design of PVC foam nose seal, all the other models have a sponge nose seal.

The MX-2004/V, MX-2006/V and MX-2008/V ranges include a carbon layer in the filtering media.

Models with the V suffix have the same design of exhalation valve.

The masks are held in place by a pair of elasticated head straps. All ranges are classified as both FFP1 and FFP2.

The MX-2014V, MX-2016, MX-2016V, MX-2017V and MX-2018V models make use of the same filter media and the same design of nose clip and head straps. The MX-2014V incorporates a velvet nose seal and the models MX-2016, MX-2016V, MX-2017V and MX-2018V have a PVC Foam nose seal. The V suffix indicates the models include an exhalation valve of the same design. The masks are held in place by a pair of elasticated head straps with 'pull-through' adjusters. All ranges are classified as FFP3.

(cont)

First Issued: 2021-05-10

Latest Issue: 2026-06-04

Effective Date: 2026-06-04

Expiry Date: 2031-05-10

Page: 3 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.

UKCA Type Examination Certificate

No. UKCA 743007

MX-2000 Product Range (cont)

EN 149 Classifications:

Models	Classification
MX-2003 and MX-2003V	FFP1 NR D
MX-2004 and MX-2004V	FFP1 NR D
MX-2005, MX-2005V, MX-2005-1 and MX-2005V-1	FFP1 NR
MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1	FFP1 NR
MX-2007 and MX-2007V	FFP1 NR
MX-2008 and MX-2008V	FFP1 NR
MX-2003 and MX-2003V	FFP2 NR D
MX-2004 and MX-2004V	FFP2 NR D
MX-2005, MX-2005V, MX2005-1 and MX-2005V-1	FFP2 NR
MX-2006, MX-2006V, MX-2006-1 and MX-2006V-1	FFP2 NR
MX-2007 and MX-2007V	FFP2 NR
MX-2008 and MX-2008V	FFP2 NR
MX-2014V	FFP3 NR
MX-2016	FFP3 NR
MX-2016V	FFP3 NR
MX-2017V	FFP3 NR D
MX-2018V	FFP3 NR

First Issued: 2021-05-10

Latest Issue: 2026-06-04

Effective Date: 2026-06-04

Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

Product Specification (cont)

Product:	Particulate Respirators		
Product Type:	Respiratory protective devices - Filtering half masks to protect against particles		
Product Range:	MX-3000 series		
Models with variants:	Models	Classification	
	MX-3005 and MX-3005V	FFP1 NR	
	MX-3006 and MX-3006V	FFP1 NR	
	MX-3005 and MX-3005V	FFP2 NR	
	MX-3006 and MX-3006V	FFP2 NR	
Models with no variants:	Models		
	MX-3014V	FFP3 NR	
Technical Specification:	Designated Standard: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.		
Product Description:	The particulate respirators are 'flat fold style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve. All models are single shift devices, denoted by the classification symbol NR. Models MX-3006 and MX-3006V include a carbon layer in the filtering media. All models incorporate a sponge nose seal. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps. The MX-3005, MX-3005V, MX-3006 and MX-3006V models are classified as both FFP1 and FFP2 and the MX-3014V is classified as FFP3.		

First Issued: 2021-05-10
Latest Issue: 2026-06-04

Effective Date: 2026-06-04
Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

Product Specification (continued)

Product:	Particulate Respirators		
Product Type:	Respiratory protective devices - Filtering half masks to protect against particles		
Product Range:	MX-5000 series		
Models with variants:	Models	Classification	
	MX-5005 and MX-5005V	FFP1 NR	
	MX-5006 and MX-5006V	FFP1 NR	
	MX-5005 and MX-5005V	FFP2 NR	
	MX-5006 and MX-5006V	FFP2 NR	
Models with no variants:	Models		
	MX-5014V	FFP3 NR	
	MX-5014	FFP3 NR	
Technical Specification:	Designated Standard: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.		
Product Description:	The particulate respirators are 'flat fold style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve. All models are single shift devices, denoted by the classification symbol NR. Models MX-5006 and MX-5006V include a carbon layer in the filtering media. All models incorporate a sponge nose seal. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps. The MX-5005, MX-5005V, MX-5006 and MX-5006V are classified as both FFP1 and FFP2 and the MX-5014V and MX-5014 are classified as FFP3.		

First Issued: 2021-05-10
Latest Issue: 2026-06-04

Effective Date: 2026-06-04
Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

Product Specification (continued)

Product:	Particulate Respirators		
Product Type:	Respiratory protective devices - Filtering half masks to protect against particles		
Product Range:	MX-6000 series		
Models with variants:	Models	Classification	
	MX-6005 and MX-6005V	FFP1 NR D	
	MX-6006 and MX-6006V	FFP1 NR D	
	MX-6005 and MX-6005V	FFP2 NR D	
	MX-6006 and MX-6006V	FFP2 NR D	
Models with no variants:	Models		
	MX-6014 and MX-6014V	FFP3 NR D	
Technical Specification:	European Standard: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.		
Product Description:	The particulate respirators are ‘cup style’ products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve. All models are single shift devices, denoted by the classification symbol NR. All models also meet the clogging option requirement of EN 149, denoted by the classification symbol D, see EN 149 Classification Table. Models MX-6006 and MX-6006V include a carbon layer in the filtering media. All models incorporate a PVC foam nose seal. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps. The MX-6005, MX-6005V, MX-6006 and MX-6006V are classified as both FFP1 and FFP2 and MX-6014 and MX-6014V are classified as FFP3.		

First Issued: 2021-05-10
Latest Issue: 2026-06-04

Effective Date: 2026-06-04
Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

Product Specification (continue)

Product:	Particulate Respirators		
Product Type:	Respiratory protective devices - Filtering half masks to protect against particles		
Product Range:	MX-7000 series		
Models with variants:	Models	Classification	
	MX-7005 and MX-7005V	FFP1 NR	
	MX-7006 and MX-7006V	FFP1 NR	
	MX-7005 and MX-7005V	FFP2 NR	
	MX-7006 and MX-7006V	FFP2 NR	
Models with no variants:	Models		
	MX-7014 and MX-7014V	FFP3 NR	
Technical Specification:	European Standard: EN 149:2001+A1:2009 Respiratory protective devices – Filtering half masks to protect against particles.		
Product Description:	The particulate respirators are 'fold flat style' products designed to protect against solid particles. The letter V in the model identification indicates the model incorporates an exhalation valve. All models are single shift devices, denoted by the classification symbol NR. Models MX-7006 and MX-7006V include a carbon layer in the filtering media. All models incorporate a nose clip. Models with the V suffix have the same design of exhalation valve. The masks are held in place by a pair of elasticated head straps. The MX-7005, MX-7005V, MX-7006 and MX-7006V are classified as both FFP1 and FFP2 and MX-7014 and MX-7014V are classified as FFP3.		

First Issued: 2021-05-10
Latest Issue: 2026-06-04

Effective Date: 2026-06-04
Expiry Date: 2031-05-10

UKCA Type Examination Certificate

No. UKCA 743007

Certificate Administration Details

Technical File Reference:

JINHUA MEIXIN, EN 149:2001+A1:2009 technical files – PPE Regulation (EU) 2016/425.
JINHUA MEIXIN tech file_ MX-5014 and MX-7000 series tech file..

Certificate Amendment Record:

Issue Date	Comments	BSI Review No.
May 2021	First issue.	0086:21:3370429
October 2021	Addition of models MX-2016 and MX-2018V.	0086:21:3537068
March 2022	Change of company address. Addition of model variants MX-2005-1, MX-2005V-1, MX-2006-1 and MX-2006V-1. Addition of the nose seal details for all models.	0086:22:3551930
July 2022	Addition of model variants MX-6005, MX-6005V, MX-6006, MX-6006V, MX-6014 and MX-6014V.	0086:22:3620998
June 2023	Addition of model MX-5014.	0086:23:3890215
October 2023	Addition of model variants MX-7005, MX-7005V, MX-7006, MX-7006V, MX-7014 and MX-7014V.	0086:23:3934059
June 2026	Certificate renewal.	0086:26:30703567

Certificate validity

The Certificate holder is responsible for ensuring that the Approved Body is advised of changes to any aspect of the overall process utilised in the manufacture of the product, failure to do so could invalidate the Certificate in respect of product manufactured following the introduction of such changes.

The validity of the Certificate for the products is also dependent on the maintenance of the Conformity to Type based on Quality Assurance of the Production Process, Annex VIII (Module D), BSI issued Certificate UKCA 743008 refers.

First Issued: 2021-05-10

Latest Issue: 2026-06-04

Effective Date: 2026-06-04

Expiry Date: 2031-05-10

Page: 9 of 9

This certificate has been issued by and remains the property of BSI Assurance UK Ltd, Kitemark Court, Davy Avenue, Knowlhill, Milton Keynes MK5 8PP, United Kingdom and should be returned immediately upon request.
To check its validity telephone +44 (0) 345 080 9000. An electronic certificate can be authenticated [online](#).

BSI Assurance UK Limited, registered in England under number 7805321 at Seventh and Eighth Floors, The Acre, 90 Long Acre, London, WC2E 9RA, UK.
A member of BSI Group of Companies.